SCREWDRIVERS





ERGOTORQUE® WOOD, Beechwood handled screwdriver set, 6-pcs., in carton

300.1100 consists of:	dim.	[<mark>∗mm</mark> ∗[dim.	<mark>⊮mm•</mark>
1 x Slotted wooden screwdriver	3,5 mm	75	1 x PHILLIPS® wo	oden screwdriver PH 1	80
1 x Slotted wooden screwdriver	4,5 mm	90	1 x PHILLIPS® wo	ooden screwdriver PH 2	100
1 x Slotted wooden screwdriver	5,5 mm	100			
1 x Slotted wooden screwdriver	7,5 mm	125			



ERGOTORQUE® WOOD, Beechwood handle screwdriver set, go-through, 6-pcs., in carton

300.1050 consists of:	dim.	[∗mm∗]		dim.	[•mm•]	
1 x Slotted wooden screwdriver	3,5 mm	75	1 x PHILLIPS® wooden screwdriver	PH 1	80	0
1 x Slotted wooden screwdriver	4,5 mm	90	1 x PHILLIPS® wooden screwdriver	PH 2	100	0
1 x Slotted wooden screwdriver	5,5 mm	100				
1 x Slotted wooden screwdriver	7,0 mm	125	•			


index






ERGOTORQUE® WOOD, Slotted wooden handled screwdriver, with hexagon drive, sealed beechwood handle with leather cap end protection, strong and sturdy handle

KS TOOLS	mm <u></u> ₹	mm <u></u> ₹	i•mm•i	⊩ mm ⊩	hex	drive)		mm <u></u>	mm÷←	<mark>√mm</mark> •	⊩ mm ⊩	he	x driv	е
300.1001	3,5	0,6	75	170	•	6	+	300.1005	9,0	1,4	150	270	•	12	=
300.1002	4,5	0,8	90	185		6		300.1006	10,0	1,6	175	300		12	
300.1003	5,5	1,0	100	200		8	•	300.1007	12,0	2,0	200	330	•	13	-
300.1004	7,0	1,2	125	235	• 1	10		300.1008	14,0	2,5	250	290		17	-



ERGOTORQUE® WOOD, PHILLIPS® wooden handled screwdriver, with hexagon drive, sealed beechwood handle with leather cap end protection, strong and sturdy handle





ERGOTORQUE® WOOD, POZIDRIV® wooden handled screwdriver, with hexagon drive, sealed beechwood handle with leather cap end protection, strong and sturdy handle

(KSTOOLS)	mm≑←	mm≑	i∙mm⊦i	⊩ mm ⊣	hex	x driv	<i>i</i> e		mm≑←	mm≑	i•mm•i	⊩ mm н	he	x driv	re)
300.1021	PZ 1	4,5	80	175	•	6	0	300.1023	PZ 3	8,0	150	270	•	12	0
300.1022	PZ 2	6,0	100	220		10	0	300.1024	PZ 4	10,0	200	340		17	0

SCREWDRIVERS





ERGOTORQUE® WOOD, Slotted wooden handled screwdriver, with hexagon drive, sealed beechwood with go-through impact cap, optimal power drive

KS TOOLS	mm <u></u> ≑	mm≑←	<mark>∢mm</mark> ▶	⊩ mm ∗i	hex	drive		mm∻⊏	mm <u>÷</u> ←	i√mm⊦	⊪ mm ∗i	he	k driv
300.1051	3,5	0,6	75	175	• 6	6	300.1054	7,0	1,2	125	240	•	10
300.1052	4,5	0,8	90	190	• 6	6	300.1055	8,0	1,2	150	275		12
300.1053	5,5	1,0	100	205	• 8	3							



ERGOTORQUE® WOOD, PHILLIPS® wooden handled screwdriver, with hexagon drive, sealed beechwood with go-through impact cap, optimal power drive

KS TOOLS	mm <u></u> *←	mm <u></u> ≑	<mark>√mm</mark> √	⊩ mm ⊩	hex	(driv	/e		mm <u>₹</u>	mm <u></u> ₹	[√mmv]	⊩ mm +	hex dr	ive
300.1061	PH 1	4,5	80	180	•	6	0	300.1063	PH 3	8,0	150	275	12	0
300.1062	PH 2	6,0	100	225		10	•							
		,												



ERGOTORQUE® WOOD, POZIDRIV® wooden handled screwdriver, with hexagon drive, sealed beechwood with go-through impact cap, optimal power drive

KS TOOLS	mm≑	mm∻⊷	i∙mm∙i	⊩ mm н	he	x driv	/e		mm≑	mm≑	l•mm•	⊩ mm н	he	x driv	re
300.1071	PZ 1	4,5	80	180	•	6	0	300.1073	PZ 3	8,0	150	275	•	12	0
300.1072	PZ 2	6,0	100	225		10	0								

index