



Circlip pliers, chrome vanadium steel, with return spring, external

KS TOOLS	mm
500.1025 Circlip pliers, angled 90°, external	130
500.1026 Circlip pliers, angled 90°, external	160
500.1027 Circlip pliers, angled 90°, external	230
500.1028 Circlip pliers, straight, external	130
500.1029 Circlip pliers, straight, external	160
500.1030 Circlip pliers, straight, external	230



Circlip pliers, chrome vanadium steel, with return spring, internal

KS TOOLS	mm
500.1031 Circlip pliers, angled 90°, internal	130
500.1032 Circlip pliers, angled 90°, internal	160
500.1033 Circlip pliers, angled 90°, internal	230
500.1034 Circlip pliers, straight, internal	130
500.1035 Circlip pliers, straight, internal	160
500.1036 Circlip pliers, straight, internal	230



Circlip pliers set, 20-pcs., with ratchet for ring mounting

- KSTOOLS 500.1350** consists of:
- With this circlip pliers set you can assemble 8 combinations through simply changing the tips
 - Application:

Internal	12 - 90 mm	1 x Unit for internal clips, shank length 260 mm
External	18 - 76 mm	1 x Unit for external clips, shank length 260 mm
		8 x Pairs of tips: 4 x Ø 2,75 mm each: straight, 15°, 45°, 90° angled
		4 x Ø 3,00 mm each: straight, 15°, 45°, 90° angled



Circlip pliers set, 14-pcs., with ratchet for ring mounting

- KSTOOLS 500.1300** consists of:
- With this circlip pliers set you can assemble 8 different versions through simply changing the tips
 - Application:

Internal	12 - 90 mm	1 x Unit for internal clips, shank length 400 mm
External	18 - 76 mm	1 x Unit for external clips, shank length 400 mm
		6 x Pairs of tips: 3 x Ø 2,75 mm each: straight, 45°, 90° angled
		3 x Ø 3,00 mm each: straight, 45°, 90° angled



Circlip pliers set, 8-pcs., can be used for internal and external circlips

KS TOOLS 500.1320 consists of:

- The increase in tip size throughout the set reduces the chance of breaking the tips by using the incorrect sizes
- The 8 pliers have 16 combinations by simple reconfiguration
- The handles can be repositioned by use of a simple knurled screw
- 2 extra tools included for easy removal and re-mounting of circlips

- 4 x Straight tips
- 4 x 60° angled tips

tips Ø	application	
	internal Ø	external Ø
1,0 mm	9,5 - 14,0 mm	4,0 - 19,8 mm
1,2 mm	15,8 - 34,0 mm	17,5 - 25,4 mm
1,8 mm	25,4 - 50,8 mm	17,0 - 36,0 mm
2,3 mm	46,0 - 76,0 mm	38,1 - 88,9 mm